

# **SCOPE OF ACCREDITATION TESTING LABORATORY (GOST ISO/IEC 17025-2019)**

**Testing Center of the Federal State Budgetary Institution  
"Rostov Reference Center of the Federal Service for Veterinary and Phytosanitary Surveillance"**

name of the testing laboratory

**RA.RU.21PL76**

Number in the register of accredited persons

**1. 344009, RUSSIA, Rostov Region, Rostov-on-Don, Sholokhov Ave., 195/7**

addresses of places of activity

**344009, RUSSIA, Rostov Region, Rostov-on-Don, Sholokhov Ave., 195/7**

No. p/n	Documents establishing the rules and methods of research (testing), measurements	Object name	OKPD code 2	TNVED code EAEU	Defined characteristic (indicator)	Definition range
<b>Product testing (research)</b>						
1.1	MI 15-2021, FR.1.31.2022.41922;Chemical tests, physico-chemical tests;Highly effective liquid chromatography	Pesticides and agrochemical products other	<b>20.20.1</b>	3808	Concentration of 2,4-D acid	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					MCPA Concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Abamectin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Azimsulfuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of azoxystrobin	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Alpha-cypermethrin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Concentration of ametrocradine	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Amidosulfuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Aminopyralide concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Asulam Concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Atrazine concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Acetamipride concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Benzovindiflupir concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Benomil concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Concentration of bensultap	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of bensulfuron-methyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of beta-cyflutrin	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Bixafen concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of bispiribac sodium	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of bitertanol	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Bifentrin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Boscalide concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Brodifacum concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of bromadiolone	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of bromoxynil	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of bromopropylate	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of bromuconazole	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Buprofesin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Vinclozoline concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Haloxyphop-p-methyl concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Hexithiazox concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Glyphosate concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of deltamethrin	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Desmedifam concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Diquate (dibromide) concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of dimethenamide-P	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Dimethoate concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Dimethomorph concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Dimoxystrobin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Diniconazole concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Dithianon concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Difacinone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Diphenconazole concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of diflovidazine (flufenzine)	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of diflubenzuron	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of difluphenicane (difluphenicane)	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Dichloroprop concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of dichlorophos (dichlorophos)	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Ivermectin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of isoxadiphen-ethyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Isoxaflutol concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Isopyrazam concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Isoproturone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of imazaquine	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )



					Concentration of imazalil	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of imazametabenz-methyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of imazamox	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of imazapir	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of imazetapir	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of imidacloprid	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Indoxacarb concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of iprodion	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Concentration of iodosulfuron- methyl sodium	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Captan Concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Carbaryl concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Carbendazim concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Carboxine concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Carbosulfan concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of carbofuran	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of carfentrazone-ethyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Quinclore concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Quinmerac concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Quinoxifen concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of kletodim	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of clodinafop-propargil	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of clomazone	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of clopyralide	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Clothianidine concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Concentration of clofentizine	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of cresoxime-methyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Cumaphos concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Linuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Lufenuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Malathion concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of mandipropamide	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Mankoceb Concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Mesosulfuron-methyl concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Mesotrion concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Metazachlor concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Metamitron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Methoxurone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Methomyl concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Metrafenon concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of metsulfuron-methyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Concentration of mefenoxam (metalaxyl)	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of mefenpyr-diethyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Myclobutanil concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of monocrotophos	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Monolinuron Concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Napropamide concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Nicosulfuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Oxadiazone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Oxamyl concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Oxycarboxine concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of oxifluorophene	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of parathion-methyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of pendimetalin	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of pentiopirade	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Penflufen concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Pencicuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Permethrin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of petoxamide (pethohamide)	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Picloram concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Picoxystrobin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Pimetrosine concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Pinoxaden concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Piperonyl butoxide concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of pyrazosulfuron-ethyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )



					Pyrazophos concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Pyraclostrobin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Pyrethrin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Pyridabene concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Pyridate concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Pyrimicarb concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Pyrimiphos-methyl concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Pyrimiphos-ethyl concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Pyriproxifen concentration - from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Pyroxulam concentration - from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					The concentration of procvinazide - from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Propazine concentration - from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Propaquisafop concentration - from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of propanyl - from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of odoriferous - from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Propizamide concentration - from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Propoxur concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of prosulfocarb	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					The concentration of prosulfuron	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of prothioconazole	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of profenophos	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of prochlorase	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Procymidone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Rimsulfuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Sedaxan concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Silthiopham concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Simazine concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Spinosad concentration (spinosin A and spinosin D)	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Spirodiclofen concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Spiromesiphene concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Spirotetramate concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of sulfometuron-methyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Concentration of tau-fluvalinate	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Tebuconazole concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Tebufenpirade concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					The concentration of thermal oxidim	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Terbutylazine concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Terbutrin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Tetramethrin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of teflutrin	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Thiabendazole concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of thiacloprid	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Thiamethoxam concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Thiodicarb concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of thiophanate-methyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Tiram Concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of typhensulfuron-methyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Topramezone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Concentration of tralkoxydim	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Triadimenol concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Triadimephone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Triasulfuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Tribenuron-methyl concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of trinexapac-ethyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Triticonazole concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Tritosulfuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Trifloxystrobin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Triflumizole concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Triflumuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of triflusulfuron-methyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Triforin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Famoxadone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of phenazaquine (phenazaquine)	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of phenamidone	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )



					Concentration of phenarimol	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of phengexamide	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Fenitroion concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Fenmedifam concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of phenoxaprop-P-ethyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of phenoxycarb	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of phenpiroximate	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Phenpropimorph concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Concentration of fentione	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Fipronil concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of flazasulfuron	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Florasulam concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Fluazinam concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of fluazifop-p-butyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Fluazifop concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Flubendiamide concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Fludioxonyl concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of sodium flucarbazone	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of fluxaproxade	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of flumetsulam	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of flumioxazine	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Fluoxastrobine concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Fluometuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Fluopicolide concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Fluopyram concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of fluroxypyr	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of fluorochloridone	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of flurprimidol	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of flurtamone	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Fluphenacet concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Fozalone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Folpet concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )

					Fomesafen concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of foramsulfuron	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Phosmet concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Phostiazate concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Phosphamidone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Furatiocarb concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of hizalofop-p-tephuryl (quizalofop-p-tephuryl)	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of chizalofop-p-ethyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l)

						from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of chloranthraniliprol	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Chloridazone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of chlorimuron-ethyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of chlorothalonil	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of chlorotoluron (chlorotoluron)	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of chlorpyrifos-methyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Chlorpyrifos concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Chlorprofam concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l)

						from 1 to 970 (g/dm <sup>3</sup> )
					Chlorosulfuron concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of cyazophamide	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Cyantraniliprol concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of cygalophop-butyl	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Cycloxydime concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of cymoxanil	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of ciprodinil	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of ciproconazole	- from 1 to 970 (g/kg) from 1 to 970 (g/l)

						from 1 to 970 (g/dm <sup>3</sup> )
					Cyromazine concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Emamectin Benzoate Concentration	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					The concentration of epoxiconazole	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of ethofumesate	- from 1 to 970 (g/kg) from 1 to 970 (g/l) from 1 to 970 (g/dm <sup>3</sup> )
					Mass fraction of 2,4-D acid	- from 0.1 to 97 (%)
					Mass fraction of abamectin	- from 0.1 to 97 (%)
					Mass fraction of azimsulfuron	- from 0.1 to 97 (%)
					Mass fraction of azoxystrobin	- from 0.1 to 97 (%)
					Mass fraction of alpha-cypermethrin	- from 0.1 to 97 (%)
					Mass fraction of ametocradine	- from 0.1 to 97 (%)
					Mass fraction of amidosulfuron	- from 0.1 to 97 (%)
					Mass fraction of	-



					aminopyralide	from 0.1 to 97 (%)
					Mass fraction of asulam	- from 0.1 to 97 (%)
					Mass fraction of atrazine	- from 0.1 to 97 (%)
					Mass fraction of acetamipride	- from 0.1 to 97 (%)
					Mass fraction of benzovindiflupir	- from 0.1 to 97 (%)
					Mass fraction of benomil	- from 0.1 to 97 (%)
					Mass fraction of bensultap	- from 0.1 to 97 (%)
					Mass fraction of bensulfuron-methyl	- from 0.1 to 97 (%)
					Mass fraction of bentazone	- from 0.1 to 97 (%)
					Mass fraction of beta-cyflutrin	- from 0.1 to 97 (%)
					Mass fraction of bixafen	- from 0.1 to 97 (%)
					Mass fraction of sodium bispiribac	- from 0.1 to 97 (%)
					Mass fraction of bitertanol	- from 0.1 to 97 (%)
					Mass fraction of bifentrin	- from 0.1 to 97 (%)
					Mass fraction of boskalide	- from 0.1 to 97 (%)
					Mass fraction of brodifacum	- from 0.1 to 97 (%)

					Mass fraction of bromadiolone	- from 0.1 to 97 (%)
					Mass fraction of bromoxynil	- from 0.1 to 97 (%)
					Mass fraction of bromopropylate	- from 0.1 to 97 (%)
					Mass fraction of bromuconazole	- from 0.1 to 97 (%)
					Mass fraction of buprofenin	- from 0.1 to 97 (%)
					Mass fraction of vinclozoline	- from 0.1 to 97 (%)
					Mass fraction of haloxyphop-p-methyl	- from 0.1 to 97 (%)
					Mass fraction of hexithiazox	- from 0.1 to 97 (%)
					Mass fraction of glyphosate	- from 0.1 to 97 (%)
					Mass fraction of deltamethrin	- from 0.1 to 97 (%)
					Mass fraction of desmedifam	- from 0.1 to 97 (%)
					Mass fraction of diquat (dibromide)	- from 0.1 to 97 (%)
					Mass fraction of dimethenamide-P	- from 0.1 to 97 (%)
					Mass fraction of dimethoate	- from 0.1 to 97 (%)
					Mass fraction of dimethomorph	- from 0.1 to 97 (%)

					Mass fraction of dimoxystrobin	- from 0.1 to 97 (%)
					Mass fraction of diniconazole	- from 0.1 to 97 (%)
					Mass fraction of ditalymphos	- from 0.1 to 97 (%)
					Mass fraction of dithianon	- from 0.1 to 97 (%)
					Mass fraction of difacinone	- from 0.1 to 97 (%)
					Mass fraction of diphenconazole	- from 0.1 to 97 (%)
					Mass fraction of diflovidazine (flufenzine)	- from 0.1 to 97 (%)
					Mass fraction of diflubenzuron	- from 0.1 to 97 (%)
					Mass fraction of diflufenzopyr	- from 0.1 to 97 (%)
					Mass fraction of difluphenicane (difluphenicane)	- from 0.1 to 97 (%)
					Mass fraction of dichloroprop	- from 0.1 to 97 (%)
					Mass fraction of dichlorophos (dichlorophos)	- from 0.1 to 97 (%)
					Mass fraction of ivermectin	- from 0.1 to 97 (%)
					Mass fraction of isoxadiphen-ethyl	- from 0.1 to 97 (%)

					Mass fraction of isoxaflutol	- from 0.1 to 97 (%)
					Mass fraction of isopyrazam	- from 0.1 to 97 (%)
					Mass fraction of isoproturone	- from 0.1 to 97 (%)
					Mass fraction of imazaquin	- from 0.1 to 97 (%)
					Mass fraction of imazalil	- from 0.1 to 97 (%)
					Mass fraction of imazametabenz-methyl	- from 0.1 to 97 (%)
					Mass fraction of imazamox	- from 0.1 to 97 (%)
					Mass fraction of imazapir	- from 0.1 to 97 (%)
					Mass fraction of imazetapir	- from 0.1 to 97 (%)
					Mass fraction of imidacloprid	- from 0.1 to 97 (%)
					Mass fraction of indoxacarb	- from 0.1 to 97 (%)
					Mass fraction of iprodion	- from 0.1 to 97 (%)
					Mass fraction of iodosulfuron-methyl sodium	- from 0.1 to 97 (%)
					Captan mass fraction	- from 0.1 to 97 (%)
					Mass fraction of	-

					carbaryl	from 0.1 to 97 (%)
					Mass fraction of carbendazim	- from 0.1 to 97 (%)
					Mass fraction of carboxine	- from 0.1 to 97 (%)
					Mass fraction of carbosulfan	- from 0.1 to 97 (%)
					Mass fraction of carbofuran	- from 0.1 to 97 (%)
					Mass fraction of carfentrazone-ethyl	- from 0.1 to 97 (%)
					Quinclore mass fraction	- from 0.1 to 97 (%)
					Mass fraction of quinmerac	- from 0.1 to 97 (%)
					Mass fraction of quinoxifen	- from 0.1 to 97 (%)
					Mass fraction of kletodim	- from 0.1 to 97 (%)
					Mass fraction of clodinafop-propargil	- from 0.1 to 97 (%)
					Mass fraction of clomazone	- from 0.1 to 97 (%)
					Mass fraction of clopyralide	- from 0.1 to 97 (%)
					Mass fraction of clothianidine	- from 0.1 to 97 (%)
					Mass fraction of clofentesine	- from 0.1 to 97 (%)
					Mass fraction of	-

					cresoxime-methyl	from 0.1 to 97 (%)
					Mass fraction of cumaphos	- from 0.1 to 97 (%)
					Mass fraction of linuron	- from 0.1 to 97 (%)
					Mass fraction of lufenuron	- from 0.1 to 97 (%)
					Mass fraction of malathion	- from 0.1 to 97 (%)
					Mass fraction of mandipropamide	- from 0.1 to 97 (%)
					Mass fraction of mankoceb	- from 0.1 to 97 (%)
					Mass fraction of mesosulfuron-methyl	- from 0.1 to 97 (%)
					Mass fraction of mesotrion	- from 0.1 to 97 (%)
					Mass fraction of metazachlor	- from 0.1 to 97 (%)
					Mass fraction of metamitron	- from 0.1 to 97 (%)
					Mass fraction of metoxurone	- from 0.1 to 97 (%)
					Mass fraction of methomyl	- from 0.1 to 97 (%)
					Mass fraction of the metrafenon	- from 0.1 to 97 (%)
					Mass fraction of metsulfuron-methyl	- from 0.1 to 97 (%)
					Mass fraction of	-

				mefenoxam (metalaxyl)	from 0.1 to 97 (%)
				Mass fraction of mefenpyr-diethyl	- from 0.1 to 97 (%)
				Mass fraction of myclobutanil	- from 0.1 to 97 (%)
				Mass fraction of monocrotophos	- from 0.1 to 97 (%)
				The mass fraction of the monolinuron	- from 0.1 to 97 (%)
				Mass fraction of napropamide	- from 0.1 to 97 (%)
				Mass fraction of nicosulfuron	- from 0.1 to 97 (%)
				Mass fraction of oxadiazone	- from 0.1 to 97 (%)
				Mass fraction of oxamyl	- from 0.1 to 97 (%)
				Mass fraction of oxycarboxine	- from 0.1 to 97 (%)
				Mass fraction of oxifluorophene	- from 0.1 to 97 (%)
				Mass fraction of parathion-methyl	- from 0.1 to 97 (%)
				Mass fraction of pendimetalin	- from 0.1 to 97 (%)
				Mass fraction of pentiopirade	- from 0.1 to 97 (%)
				Mass fraction of penflufen	- from 0.1 to 97 (%)
				Mass fraction of	-

					pencicuron	from 0.1 to 97 (%)
					Mass fraction of permethrin	- from 0.1 to 97 (%)
					Mass fraction of petoxamide (pethohamide)	- from 0.1 to 97 (%)
					Mass fraction of picloram	- from 0.1 to 97 (%)
					Mass fraction of picoxystrobin	- from 0.1 to 97 (%)
					Mass fraction of pimetrosine	- from 0.1 to 97 (%)
					Mass fraction of pinoxadene	- from 0.1 to 97 (%)
					Mass fraction of piperonyl butoxide	- from 0.1 to 97 (%)
					Mass fraction of pyrazosulfuron-ethyl	- from 0.1 to 97 (%)
					Mass fraction of pyrazophos	- from 0.1 to 97 (%)
					Mass fraction of pyraclostrobin	- from 0.1 to 97 (%)
					Mass fraction of pyrethrins	- from 0.1 to 97 (%)
					Mass fraction of pyridabene	- from 0.1 to 97 (%)
					Mass fraction of pyridate	- from 0.1 to 97 (%)
					Mass fraction of pyrimicarb	- from 0.1 to 97 (%)



				Mass fraction of pyrimiphos-methyl	- from 0.1 to 97 (%)
				Mass fraction of pyrimiphos-ethyl	- from 0.1 to 97 (%)
				Mass fraction of pyriproxifen	- from 0.1 to 97 (%)
				Mass fraction of pyroxulam	- from 0.1 to 97 (%)
				Mass fraction of procvinazide	- from 0.1 to 97 (%)
				Mass fraction of propazine	- from 0.1 to 97 (%)
				Mass fraction of propaquisafop	- from 0.1 to 97 (%)
				Mass fraction of propanyl	- from 0.1 to 97 (%)
				Mass fraction of propahlor	- from 0.1 to 97 (%)
				Mass fraction of propizamide	- from 0.1 to 97 (%)
				Mass fraction of propoxur	- from 0.1 to 97 (%)
				Mass fraction of prosulfocarb	- from 0.1 to 97 (%)
				Mass fraction of prosulfuron	- from 0.1 to 97 (%)
				Mass fraction of prothioconazole	- from 0.1 to 97 (%)
				Mass fraction of profenophos	- from 0.1 to 97 (%)
				Mass fraction of	-

					prochlorase	from 0.1 to 97 (%)
					Mass fraction of procymidone	- from 0.1 to 97 (%)
					Mass fraction of rimsulfuron	- from 0.1 to 97 (%)
					Mass fraction of sedaxan	- from 0.1 to 97 (%)
					Mass fraction of silthiopham	- from 0.1 to 97 (%)
					Mass fraction of simazine	- from 0.1 to 97 (%)
					Mass fraction of spinosad (spinosin A and spinosin D)	- from 0.1 to 97 (%)
					Mass fraction of spirodiclofen	- from 0.1 to 97 (%)
					Mass fraction of spiromesiphene	- from 0.1 to 97 (%)
					Mass fraction of spirotetramate	- from 0.1 to 97 (%)
					Mass fraction of sulfometuron-methyl	- from 0.1 to 97 (%)
					Mass fraction of tau-fluvalinate	- from 0.1 to 97 (%)
					Mass fraction of tebuconazole	- from 0.1 to 97 (%)
					Mass fraction of tebufenpirad	- from 0.1 to 97 (%)
					Mass fraction of thermal oxidim	- from 0.1 to 97 (%)

					Mass fraction of terbutylazine	- from 0.1 to 97 (%)
					Mass fraction of terbutrin	- from 0.1 to 97 (%)
					Mass fraction of tetramethrin	- from 0.1 to 97 (%)
					Mass fraction of teflutrin	- from 0.1 to 97 (%)
					Mass fraction of thiabendazole	- from 0.1 to 97 (%)
					Mass fraction of thiacloprid	- from 0.1 to 97 (%)
					Mass fraction of thiamethoxam	- from 0.1 to 97 (%)
					Mass fraction of thiodicarb	- from 0.1 to 97 (%)
					Mass fraction of thiophanate-methyl	- from 0.1 to 97 (%)
					Mass fraction of tiram	- from 0.1 to 97 (%)
					Mass fraction of typhensulfuron-methyl	- from 0.1 to 97 (%)
					Mass fraction of the topramason	- from 0.1 to 97 (%)
					Mass fraction of tralkoxydim	- from 0.1 to 97 (%)
					Mass fraction of triadimenol	- from 0.1 to 97 (%)
					Mass fraction of triadimephone	- from 0.1 to 97 (%)

					Mass fraction of triasulfuron	- from 0.1 to 97 (%)
					Mass fraction of tribenuron-methyl	- from 0.1 to 97 (%)
					Mass fraction of trinexapac-ethyl	- from 0.1 to 97 (%)
					Mass fraction of triticonazole	- from 0.1 to 97 (%)
					Mass fraction of tritosulfuron	- from 0.1 to 97 (%)
					Mass fraction of trifloxystrobin	- from 0.1 to 97 (%)
					Mass fraction of triflumizole	- from 0.1 to 97 (%)
					Mass fraction of triflumuron	- from 0.1 to 97 (%)
					Mass fraction of triflusulfuron-methyl	- from 0.1 to 97 (%)
					Mass fraction of triforin	- from 0.1 to 97 (%)
					Mass fraction of famoxadone	- from 0.1 to 97 (%)
					Mass fraction of phenazaquine (phenazachine)	- from 0.1 to 97 (%)
					Mass fraction of phenamidone	- from 0.1 to 97 (%)
					Mass fraction of phenarimol	- from 0.1 to 97 (%)
					Mass fraction of	-

					phengexamide	from 0.1 to 97 (%)
					Mass fraction of fenitroton	- from 0.1 to 97 (%)
					Mass fraction of fenmedifam	- from 0.1 to 97 (%)
					Mass fraction of phenoxaprop-p-ethyl	- from 0.1 to 97 (%)
					Mass fraction of phenoxycarb	- from 0.1 to 97 (%)
					Mass fraction of phenpiroximate	- from 0.1 to 97 (%)
					Mass fraction of phenpropimorph	- from 0.1 to 97 (%)
					Mass fraction of fention	- from 0.1 to 97 (%)
					Mass fraction of fipronil	- from 0.1 to 97 (%)
					Mass fraction of flzasulfuron	- from 0.1 to 97 (%)
					Mass fraction of florasulam	- from 0.1 to 97 (%)
					Mass fraction of fluazinam	- from 0.1 to 97 (%)
					Mass fraction of fluazifop-p-butyl	- from 0.1 to 97 (%)
					Mass fraction of fluazifop	- from 0.1 to 97 (%)
					Mass fraction of flubendiamide	- from 0.1 to 97 (%)
					Mass fraction of	-

					fluidioxonyl	from 0.1 to 97 (%)
					Mass fraction of sodium flucarbazon	- from 0.1 to 97 (%)
					Mass fraction of fluxaproxade	- from 0.1 to 97 (%)
					Mass fraction of flumetsulam	- from 0.1 to 97 (%)
					Mass fraction of fluoxastrobine	- from 0.1 to 97 (%)
					Mass fraction of fluometuron	- from 0.1 to 97 (%)
					Mass fraction of flumioxazine	- from 0.1 to 97 (%)
					Mass fraction of fluopicolide	- from 0.1 to 97 (%)
					Mass fraction of fluopyram	- from 0.1 to 97 (%)
					Mass fraction of fluoxypyr	- from 0.1 to 97 (%)
					Mass fraction of fluorochloridone	- from 0.1 to 97 (%)
					Mass fraction of flurprimidol	- from 0.1 to 97 (%)
					Mass fraction of flurtamon	- from 0.1 to 97 (%)
					Mass fraction of flufenacet	- from 0.1 to 97 (%)
					Mass fraction of flufenzine	- from 0.1 to 97 (%)
					Mass fraction of	-

					fozalon	from 0.1 to 97 (%)
					The mass fraction of the folpet	- from 0.1 to 97 (%)
					Mass fraction of fomesafen	- from 0.1 to 97 (%)
					Mass fraction of foramsulfuron	- from 0.1 to 97 (%)
					Mass fraction of phosmet	- from 0.1 to 97 (%)
					Mass fraction of phostiazate	- from 0.1 to 97 (%)
					Mass fraction of phosphamidone	- from 0.1 to 97 (%)
					Mass fraction of furatiocarb	- from 0.1 to 97 (%)
					Mass fraction of chizalofop- p- tephuryl (quizalofop-p- tephuryl)	- from 0.1 to 97 (%)
					Mass fraction of chizalofop-p-ethyl	- from 0.1 to 97 (%)
					Mass fraction of chloranthraniliprol	- from 0.1 to 97 (%)
					Mass fraction of chloridazone	- from 0.1 to 97 (%)
					Mass fraction of chlorimuron-ethyl	- from 0.1 to 97 (%)
					Mass fraction of chlorothalonil	- from 0.1 to 97 (%)
					Mass fraction of	-

					chlorotoluron (chlorotoluron)	from 0.1 to 97 (%)
					Mass fraction of chlorpyrifos-methyl	- from 0.1 to 97 (%)
					Mass fraction of chlorpyrifos	- from 0.1 to 97 (%)
					Mass fraction of chlorprofam	- from 0.1 to 97 (%)
					Mass fraction of chlorosulfuron	- from 0.1 to 97 (%)
					Mass fraction of cyazofamide	- from 0.1 to 97 (%)
					Mass fraction of cyantraniliprol	- from 0.1 to 97 (%)
					Mass fraction of cygalophop-butyl	- from 0.1 to 97 (%)
					Mass fraction of cycloxydim	- from 0.1 to 97 (%)
					Mass fraction of cymoxanil	- from 0.1 to 97 (%)
					Mass fraction of ciprodinil	- from 0.1 to 97 (%)
					Mass fraction of ciproconazole	- from 0.1 to 97 (%)
					Mass fraction of cyromazine	- from 0.1 to 97 (%)
					Mass fraction of emamectin benzoate	- from 0.1 to 97 (%)
					Mass fraction of epoxiconazole	- from 0.1 to 97 (%)



					Mass fraction of ethofumesate	- from 0.1 to 97 (%)
					Mass concentration of MCPA	- from 0.1 to 97 (%)
1.2	MI 15-2021, FR.1.31.2022.41922;Chemical tests, physico-chemical tests;Gas/gas-liquid chromatography	Pesticides and agrochemical products other	<b>20.20.1</b>	3808	Concentration of C-metolachlor	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of azoxystrobin	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of alachlor Acetochlor concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Acephate concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Beta-cypermethrin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of gamma-cyhalothrin	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Diazinone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )

					Disulfotone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Zeta-cypermethrin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Lenacil concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of lambda-cyhalothrin	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of metaldehyde	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Metribuzin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Molinate concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Oxadixil concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )

					The concentration of penconazole	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of pyraflufen-ethyl	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Pyrimethanyl concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Pyrimiphos-methyl concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Promethrin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of propamocarb hydrochloride	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of propargite	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Propizochlor concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )

					Propiconazole concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Spiroxamine concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Terbufos concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Tetraconazole concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Trifluralin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Trichlorophone concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Fenvalerate concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Phenpropidine concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )

					Concentration of flutriafol	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Cypermethrin concentration	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Concentration of esphenvalerate	- from 1 to 970 (g/kg) from 1 to 970 (g /l) from 1 to 970 (g/dm <sup>3</sup> )
					Mass fraction of C-metolachlor	- from 0.1 to 97 (%)
					Mass fraction of azoxystrobin	- from 0.1 to 97 (%)
					Mass fraction of alachlor	- from 0.1 to 97 (%)
					Массовая доля ацетохлора	- from 0.1 to 97 (%)
					Массовая доля ацефата	- from 0.1 to 97 (%)
					Массовая доля бета-циперметрина	- from 0.1 to 97 (%)
					Массовая доля гамма-цигалотрина	- from 0.1 to 97 (%)
					Массовая доля диазинона	- from 0.1 to 97 (%)
					Массовая доля дисульфотона	- from 0.1 to 97 (%)

					Массовая доля зета-циперметрина	- from 0.1 to 97 (%)
					Массовая доля ленацила	- from 0.1 to 97 (%)
					Массовая доля лямбда-цигалотрина	- from 0.1 to 97 (%)
					Массовая доля метальдегида	- from 0.1 to 97 (%)
					Массовая доля метрибузина	- from 0.1 to 97 (%)
					Mass fraction of molinate	- from 0.1 to 97 (%)
					Mass fraction of oxadixil	- from 0.1 to 97 (%)
					Mass fraction of penconazole	- from 0.1 to 97 (%)
					Mass fraction of piraflofen-ethyl	- from 0.1 to 97 (%)
					Mass fraction of pyrimethanil	- from 0.1 to 97 (%)
					Mass fraction of pyrimiphos-methyl	- from 0.1 to 97 (%)
					Mass fraction of promethrin	- from 0.1 to 97 (%)
					Mass fraction of propamocarb hydrochloride	- from 0.1 to 97 (%)
					Mass fraction of propargite	- from 0.1 to 97 (%)

					Mass fraction of propizochlor	- from 0.1 to 97 (%)
					Mass fraction of propiconazole	- from 0.1 to 97 (%)
					Mass fraction of spiroxamine	- from 0.1 to 97 (%)
					Mass fraction of terbufos	- from 0.1 to 97 (%)
					Mass fraction of tetraconazole	- from 0.1 to 97 (%)
					Mass fraction of trifluralin	- from 0.1 to 97 (%)
					Mass fraction of trichlorophone	- from 0.1 to 97 (%)
					Mass fraction of fenvalerate	- from 0.1 to 97 (%)
					Mass fraction of phenpropidine	- from 0.1 to 97 (%)
					Mass fraction of flutriafol	- from 0.1 to 97 (%)
					Mass fraction of cypermethrin	- from 0.1 to 97 (%)
					Mass fraction of esfenvalerate	- from 0.1 to 97 (%)

Director

Signed with an electronic signature

A.A.Konovalov